



AM~FINN

The Advanced Chill Chamber

Specs sheet

1-800-237-2862

design@am-finn.com

www.am-finn.com

THE SCREEN

First Ever Interactive Cold Therapy Room



Interactive inviting atmosphere

QLED Series 8 TV - Specification Sheet

Design:

- Design Type: QLED
- Series: 8
- Design: Simple Chamfer
- Stand Type: New Hexagon Plate
- Bezel Type: 3 Bezel-less
- Slim Type: Slim look
- Stand Color: SAND BLACK
- Front Color: TITAN BLACK

Video:

- Screen Size: 98 inches
- Color: 100% Color Volume
- HDR (High Dynamic Range): Quantum HDR+
- Viewing Angle: Wide Viewing Angle
- Film Mode: Yes
- Adaptive Picture: Optimized/EyeComfort
- HLG (Hybrid Log Gamma): Yes
- Contrast: Direct Full Array
- Ultimate UHD Dimming: Supreme UHD Dimming
- Contrast Enhancer: Real Depth Enhancer
- HDR10+: Yes (ADAPTIVE/GAMING)
- Picture Engine: Neural Quantum Processor 4K
- Motion Technology: Motion Xcelerator Turbo+
- One Billion Color: Yes

- Picture Clarity: Yes
- Smart Calibration: Basic
- AI Upscale: Yes
- Filmmaker Mode: Yes
- Brightness/Color Detection: Brightness/Color Detection

Audio:

- Dolby Atmos: Yes
- Sound Output (RMS): 40W
- Woofer: Yes
- Speaker Type: 2.2CH
- Multiroom Link: Yes
- Q-Symphony: Yes
- Active Voice Amplifier: Yes
- Bluetooth Audio: Yes
- Dual Audio support (Bluetooth): Yes
- Dolby Decoder: MS12 2ch
- Object Tracking Sound: OTS Lite
- Adaptive Sound: Adaptive Sound+
- Buds Auto switch: Yes

Features:

- Caption (Subtitle): Yes
- Embedded POP: Yes
- EPG: Yes
- IP Control: Yes
- OSD Language: English, Spanish, French
- V-Chip: Yes
- MBR Support: Yes

- ConnectShare™: Yes

Weight:

- Stand Weight: 20.9 lbs
- Package Weight: 193.6 lbs
- Set Weight without Stand: 124.1 lbs
- Set Weight with Stand: 145.1 lbs

Power:

- Power Supply (V): AC110-120V 50/60Hz
- Power Consumption (Max) (W): 425
- Power Consumption (Stand-by) (W): 0.5
- Power Consumption (Typical): 133

System:

- Digital Broadcasting: ATSC/ClearQAM
- Analog Tuner: Yes
- DTV Sound System: Dolby

Installation Features:

- Mini Wall Mount Compatibility: Yes
- Vesa Wall Mount Compatibility: Yes

Accessory:

- Remote: TM2360E
- Power Cable: Yes
- User Manual: Yes
- E-Manual: Yes
- Remote Controller Model: TM2360E

Eco:

- Eco Sensor: Yes
- Auto Power Saving: Yes
- Auto Power Off: Yes

Display:

- Inch: 98
- Resolution: 3,840 x 2,160
- Refresh Rate: 120Hz
- Diagonal Screen Size (Inch): 97.5

Smart Service:

- Operating System: Tizen™ Smart TV
- Bixby: US English, UK English, India English, Korean, French, German, Italian, Spanish, BR Portuguese (features vary by language)
- Far-Field Voice Interaction: Yes
- Built-in Voice Assistant: Alexa
- Works With AI Speaker: Alexa, Google Assistant
- TV Plus: Yes
- Web Browser: Yes

Smart Features:

- Multi Device Experience: TV to Mobile, Mobile to TV, TV initiate mirroring, TV Sound to Mobile, Sound Mirroring, Wireless TV On
- Tap View: Yes
- Multi View: Up to 2 videos
- Music Wall: Yes
- Mobile Camera support: Yes
- Easy Setup: Yes

- App Casting: Yes
- Ambient Mode: Ambient Mode+
- Workspace: Yes
- Wireless Dex: Yes
- Web Service: Microsoft 365
- Chat Together: Yes (US only)
- NFT: Nifty Gateway, La Collection, Art Token, Savage
- ConneCTime: Yes (US only)
- Telemedicine: HealthTap (US Only)

Game Feature:

- Auto Game Mode (ALLM): Yes
- Game Motion Plus: Yes
- Dynamic Black EQ: Yes
- Surround Sound: Yes
- Super Ultra Wide Game View: Yes
- Game bar 3.0: Yes
- Mini Map Zoom: Yes
- Light-Sync: Yes
- FreeSync: FreeSync Premium Pro
- HGiG: Yes
- Gaming Hub: Yes (KR, US, CA, BR, GB, FR, DE, IT, ES)
- Hue Sync: Yes

Connectivity:

- HDMI: 4
- HDMI (High Frame Rate): 4K 120Hz (for HDMI 1/2/3/4)
- HDMI Audio Return Channel: Yes

- USB: 2
- Ethernet (LAN): 1
- Digital Audio Out (Optical): 1
- RF In (Terrestrial / Cable input / Satellite Input): 1/1(Common Use for Terrestrial)/0
- Ex-Link (RS-232C): 1
- WiFi: Yes (WiFi5)
- Bluetooth: Yes (BT5.2)
- Anynet+ (HDMI-CEC): Yes

Dimension (WxHxD):

- Set Size without Stand (WxHxD)(inch): 85.9 x 49 x 1.9

Accessibility:

- Voice Guide: US English, Mexico Spanish, Canada French, Finnish, German, Greek, Hungarian, Italian, Norwegian, Polish, Portugal Portuguese, Romanian, Slovak, Swedish, Czech, Danish, Dutch, Korean
- Learn TV Remote / Learn Menu Screen: US English, Mexico Spanish, Canada French
- Low Vision Support: Zoom Menu and Text, High Contrast, SeeColors, Color Inversion, Grayscale, Picture Off, Magnification, Relumino Mode
- Hearing Impaired Support: Multi-output Audio, Caption Position, Sign Language Zoom, Separate Closed Caption, Sign Language Guide, Auto Caption Position
- Motor Impaired Support: Slow Button Repeat

LG Mini Split

THE Chill Chamber Cooling Technology



Compatible with the cool bot pro.

LG LS303HLV3 - Specification Sheet

Product Overview:

The LG LS303HLV3 is a high-efficiency, ductless mini-split air conditioning and heating system designed for residential and light commercial applications. It offers powerful cooling and heating capabilities while maintaining energy efficiency and quiet operation.

Key Features:

Inverter Technology: Utilizes advanced inverter technology for precise temperature control and energy efficiency.

High Efficiency: Offers high energy efficiency ratings, reducing operating costs and environmental impact.

Quiet Operation: Low noise levels ensure minimal disruption, making it suitable for residential and commercial use.

Dual Functionality: Provides both cooling and heating functions, allowing for year-round comfort.

Smart Features: Compatible with LG SmartThinQ technology for remote control and monitoring via smartphone.

Easy Installation: Simplified installation process with minimal disruption to existing structures.

Multiple Operating Modes: Offers various operating modes including cooling, heating, dehumidification, and fan-only mode.

Sleep Mode: Includes a sleep mode feature for optimized comfort and energy savings during nighttime operation.

Specifications:

- Frequency: 60 Hz
- Recommended Breaker Size: 30 Amps

General Information:

- Product Category: Mini Split Heat Pump System
- Type: Wall Mounted (Indoor Unit)
- Product Sub-line: Extended Piping
- Operating Mode: Heating and Cooling
- Number of Zones: 1
- Refrigerant Type: R-410A
- DOE Regional Compliance: Nationwide
- Line Set Size: 3/8" x 5/8"

Performance:

- Cooling Capacity (BTU): 30,000
- Heating Capacity (BTU): 32,400
- Cooling Power Input: 2,660 Watts
- Heating Power Input: 2,750 Watts
- Low Ambient Heating: Yes
- Minimum Outdoor Temperature for Heating: -4°F
- Minimum Outdoor Temperature for Cooling: 14°F
- SEER: 20.5
- EER: 11.3
- HSPF: 7.9

Electrical Data:

- Voltage: 208/230 Volts
- Phase: 1

Dimensions & Weight (Indoor Unit - LSN303HLV3):

- Product Height: 14 5/8 Inches
- Product Width: 47 1/4 Inches
- Product Depth: 10 7/16 Inches
- Product Weight: 40.8 Pounds
- Shipping Weight: 48.9 Pounds

Dimensions & Weight (Outdoor Unit - LSU303HLV3):

- Product Height: 32 3/4 Inches
- Product Width: 37 1/2 Inches
- Product Depth: 15 1/2 Inches
- Product Weight: 147.9 Pounds
- Shipping Weight: 160.3 Pounds
- Can be in an Indoor mechanical room

Certifications:

- UL Listed: Yes
- ETL Listed: Yes
- Energy Star Listed: Yes
- AHRI Certified: Yes
- ISO Certified: Yes
- AHRI Reference Number: 204825183

Warranty Information:

- Parts Warranty: 5 Years
- Compressor Warranty: 7 Years

LG - 30k BTU - Outdoor Condenser -
For Single-Zone Only (LSU303HLV3)

LG - 30k BTU - Wall Mounted Indoor
Unit - For Single-Zone Only
(LSN303HLV3)

Optional Accessories (Not Included):

- Wi-Fi adapter for SmartThinQ compatibility
- Wall mounting bracket
- Condensate pump
- Line set cover kit

Installation Requirements:

- Professional installation recommended
- Proper electrical supply and wiring
- Mounting location with adequate clearance and ventilation
- Compatible line set and refrigerant piping

Product Includes:

Wi-Fi adapter for SmartThinQ compatibility

Wall mounting bracket

Condensate pump

Line set cover kit

Installation Requirements:

Professional installation recommended

Proper electrical supply and wiring

**Mounting location with adequate clearance
and ventilation**

Compatible line set and refrigerant piping

Applications:

**Residential homes, Apartments and
condominiums, Small offices, Retail spaces,
Server rooms, Workshops or garages**

Warranty:

Parts: 5 Years

Compressor: 7 Years

Cooling Technology

The Cool Bot Pro



Easy Install

Technology that turns a Mini-Split into
A functional cooling device

Made in the USA and ships free to the
USA and Canada

Product Overview:

The CoolBot Pro is a revolutionary temperature control device designed to transform an ordinary air conditioner into a powerful refrigeration unit. It allows users to create affordable cold storage solutions for a variety of applications, including agricultural produce, floral arrangements, pharmaceuticals, and more.

Key Features:

Temperature Control: Enables air conditioners to maintain temperatures as low as 34°F (1.1°C), ideal for cold storage needs.

Compatible with Most Air Conditioners: Works seamlessly with most major air conditioner brands and models.

Energy Efficient: Utilizes energy-efficient technology to reduce power consumption and operating costs.

Easy Installation: Simple installation process requires no special tools or expertise.

Remote Monitoring: Optional remote monitoring capabilities enable users to monitor and adjust temperature settings remotely.

Versatile Applications: Suitable for various industries including agriculture, floristry, food service, and medical storage.

Robust Construction: Durable construction ensures long-term reliability and performance.

Technical Specifications:

- Temperature Range: 34°F to 60°F (1.1°C to 15.6°C)
- Voltage Compatibility: 110V or 220V
- Electrical Ratings: 120-240 VAC with input voltage of 50-60hz, Output Voltage 5 VDC, output amps 1 amp.
- Power Consumption: Varies depending on air conditioner model and usage.
- Dimensions: 6.5 × 3.5 × 1.5 in
- Weight: N/A
- Material: High-quality, durable materials for longevity and reliability.
- Connection Sensors & Cables: 2.5mm / temp sensor cable (blue), 2.5 mm / Heater Cable (red tip), RJ 11 / Data transfer cable (grey/silver), Mini USB / UL Listed Power Supply
- SKU: CC-S0HV-MOUT

Package Contents:

CoolBot Pro unit

Installation guide

Mounting hardware

(Any additional accessories or components)

Optional Accessories:

Remote Monitoring Kit:

Enables remote temperature monitoring and control via smartphone or computer.

Extended Warranty:

Extended warranty options available for added peace of mind.

Installation Requirements:

Compatible air conditioner (refer to compatibility list)

Stable internet connection (for remote monitoring, if applicable)

Basic tools for installation (screwdriver, drill, etc.)

Applications:

Agriculture (e.g., farm produce storage)

Floristry (e.g., flower preservation)

Food service (e.g., restaurant walk-in coolers)

Pharmaceuticals (e.g., vaccine storage)

Beverage storage (e.g., beer and wine)

(Any other relevant applications)

Warranty:

Standard manufacturer warranty included (typically 1 year)

Extended warranty options available for purchase

Support and Resources:

Customer support: 1-888-871-5723 or hello@storeitcold.com

Disclaimer:

The CoolBot Pro is designed for use with compatible air conditioners as specified. Improper installation or use may void warranty and could result in damage to the unit or other property. Refer to the user manual for detailed instructions and safety guidelines.

Compatible AC Units:

<https://www.storeitcold.com/wp-content/uploads/2021/02/AC-Selection-2024A.pdf>



A M~FINN

1-800-237-2862

design@am-finn.com

www.am-finn.com